

# 2024 SEED GUIDE

---

2024 NORTH DAKOTA / NORTHERN MINNESOTA



# 2024 NORTH DAKOTA / NORTHERN MINNESOTA

Thank you for considering DEKALB/Asgrow brands for your farming operation. You will find recommended products for North Dakota and northern Minnesota here. This guide, coupled with your dealer's local knowledge, will start you off on the path to success!


## Technical Agronomists

**Cody Oswald**  
701-269-4570  
cody.oswald@bayer.com  
South Central & Western ND

**Derek Pruitt**  
435-979-4491  
jon.pruitt@bayer.com  
Northeast ND & Northern MN

**Grant Mehring**  
701-373-1591  
grant.mehring@bayer.com  
Southeast ND & West Central MN

**Courtney Meduna**  
701-339-0238  
courtney.meduna@bayer.com  
North Central & Western ND



# GET MORE FROM YOUR FIELDS WITH THE HELP OF DIGITAL TOOLS.

Gain local insights and information relevant to your location, crops and season all year long.



Our online tools are here to help you select the best seed products for your field, find your local teams, examine yield results near you and sign up for timely agronomic alerts.

DEKALBAsgrowDeltapine.com/tools



## FEATURED PRODUCTS



**NEW**

**CORN**

**DKC093-77RIB**  
BRAND BLEND

**Trait** VT Double PRO® RIB Complete® corn blend

**Relative Maturity** 93

**Strengths and Management Tips**

- Excellent emergence and seedling vigor enabling wide planting window potential
- Attractive statured plant with medium tall plant height
- Solid northern disease tolerance package including Northern Corn Leaf Blight, Anthracnose Stalk Rot, and Goss's Wilt
- Has demonstrated solid stalk strength and average root strength

**NEW**

**CORN**

**DKC096-21RIB**  
BRAND BLEND

**Trait** Trecepta® Rib Complete® Blend

**Relative Maturity** 96

**Strengths and Management Tips**

- Has demonstrated outstanding stress tolerance package Solid agronomic package including root strength and stalk strength
- Good greensnap tolerance and Goss's Wilt disease tolerance enables western placement
- Balanced plant with a medium plant and ear height with semi-flex type ear
- Has shown very good emergence with average vigor
- Trecepta® Technology provides broad spectrum control of key above ground pests

**NEW**

**CORN**

**DKC098-88RIB**  
BRAND BLEND

**Trait** VT4PRO™ RIB Complete® with RNAi Technology

**Relative Maturity** 98

**Strengths and Management Tips**

- Excellent yield performance potential with broad east to west placement
- Very good emergence and seedling vigor offer flexible planting window
- Strong defensive agronomic package with excellent root strength, good stalk strength, and very good greensnap tolerance
- Very strong disease tolerance package including Northern Corn Leaf Blight, Goss's Wilt, and Anthracnose Stalk Rot
- VT4
- PRO™ Technology provides enhanced above ground protection with RNAi Technology for corn root worm protection
- Awesome plant stature with a medium short plant height and balanced ear placement

**NEW**

**CORN**

**DKC099-11RIB**  
BRAND BLEND

**Trait** VT Double PRO® RIB Complete® corn blend

**Relative Maturity** 99

**Strengths and Management Tips**

- Excellent emergence and seedling vigor enabling wide planting window
- Good staygreen and late season harvest appearance on this medium statured product
- Widely adapted across geographies with impressive yield performance
- Has demonstrated good drought stress tolerance with average heat stress tolerance

**NEW**

**CORN**

**DKC41-54RIB**  
BRAND BLEND

**Trait** SmartStax PRO RIB COMPLETE

**Relative Maturity** 91

**Strengths and Management Tips**

- Incredible test weight with great kernel depth on a girthy ear; average drydown
- Medium plant height with excellent staygreen and nice appearance at harvest
- Product has shown strong stalk strength
- Solid disease tolerance package including Northern Corn Leaf Blight, Goss's Wilt, and Anthracnose Stalk Rot Smart
- Stax® PRO with RNAi Technology provides protection against corn rootworm with 3 modes of action

**NEW**

**SOYBEANS**

**AG02XF4**  
BRAND

**Trait** Roundup Ready2 Yield Soybean/Dicamba Tolerant/Liberty Link

**Relative Maturity** 0.2

**Strengths and Management Tips**

- Medium tall plant with good standability
- Moderate resistance to SCN Very good Phytophthora field tolerance
- Avoid placement in fields with a history of severe white mold

**NEW**

**SOYBEANS**

**AG04XF4**  
BRAND

**Trait** Roundup Ready2 Yield Soybean/Dicamba Tolerant/Liberty Link

**Relative Maturity** 0.4

**Strengths and Management Tips**

- 1) Medium tall plant with good standability 2) Moderate resistance to soybean cyst nematode 3) Good tolerance to white mold and IDC 4) Protection against Phytophthora rot

**NEW**

**SOYBEANS**

**AG05XF4**  
BRAND

**Trait** Roundup Ready2 Yield Soybean/Dicamba Tolerant/Liberty Link

**Relative Maturity** 0.5

**Strengths and Management Tips**

- Medium tall to tall plant with average standability
- Resistance to soybean cyst nematode
- White mold tolerance
- Good tolerance to IDC



# PERFORMANCE IS OUR PURPOSE.

Farmers who raise the bar look to the consistent yield potential of DEKALB® brand corn. Featuring exclusive genetics, whole-farm solutions and DEKALB dealer support to help you realize maximum performance.



# LOCAL AGRONOMIC RATINGS

Recommendations by your local agronomist.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- ★ Highly Recommended
- ⊕ Recommended in Most Situations
- ◇ Use with Appropriate Management
- ⊘ Not Recommended
- N/A Not Applicable

DEKALB® Disease Shield™ Product

**NEW** New Product\*

DEKALB® CORN BRANDS		VALUE-ADDED TRAIT	RELATIVE MATURITY	80 TO 120 (BU/A)	120 TO 160 (BU/A)	160 TO 180 (BU/A)	180 TO 200 (BU/A)	200 TO 240 (BU/A)	240 TO 280 (BU/A)	FINE TEXTURE SOILS	MEDIUM TEXTURE SOILS	COARSE TEXTURE SOILS	CORN ON CORN	IRRIGATION / HIGH YIELD ENVIRONMENT	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	HARVEST APPEARANCE	DRYDOWN	GOSS'S WILT	TEST WEIGHT
<b>DKC25-15RIB</b> BRAND BLEND	VT2PRIB		75	25-27 ★	27-31 ★	30-34 ⊕	34-36 ◇	NA-NA ⊘	NA-NA ⊘	★	★	★	⊕	⊕	1040	1895	2 ★	2 ★	3 ⊕	2 ★	3 ◇	2 ⊕	4 ★	3 ⊕
<b>DKC28-25RIB</b> BRAND BLEND	VT2PRIB		78	24-26 ★	27-31 ★	30-34 ★	34-36 ⊕	36-38 ◇	NA-NA ⊘	★	★	★	⊕	★	1055	1965	3 ⊕	2 ★	3 ⊕	2 ★	2 ★	2 ★	5 ⊕	3 ⊕
<b>DKC29-89RIB</b> BRAND BLEND	VT2PRIB		79	25-27 ⊕	27-31 ★	30-34 ★	34-36 ⊕	36-38 ◇	NA-NA ⊘	★	★	★	⊕	★	1055	1975	3 ⊕	2 ★	2 ★	2 ★	2 ★	2 ★	4 ★	3 ⊕
<b>DKC31-10RIB</b> BRAND BLEND	VT2PRIB		81	23-25 ★	25-28 ★	29-32 ⊕	33-35 ◇	35-37 ◇	38-40 ⊘	★	★	★	⊕	⊕	1061	2025	1 ★	3 ⊕	3 ⊕	1 ★	2 ★	3 ⊕	5 ⊕	3 ⊕
<b>DKC31-85RIB</b> BRAND BLEND	VT2PRIB		81	25-27 ⊕	27-30 ★	30-33 ★	34-36 ★	36-38 ⊕	38-40 ⊘	★	★	★	⊕	★	1080	2025	3 ★	3 ⊕	3 ⊕	2 ★	3 ⊕	2 ★	4 ★	4 ⊕
<b>DKC32-12RIB</b> BRAND BLEND	VT2PRIB		82	24-27 ★	27-30 ★	30-32 ★	32-34 ⊕	34-37 ◇	37-40 ⊘	★	★	★	⊕	★	1082	2050	1 ★	2 ★	2 ★	2 ⊕	4 ⊕	1 ★	4 ⊕	2 ★
<b>DKC32-35RIB</b> BRAND BLEND	VT2PRIB		82	24-26 ⊕	26-29 ★	30-32 ★	33-36 ★	36-38 ⊕	38-40 ◇	★	★	★	⊕	★	1080	2060	2 ★	2 ★	3 ⊕	2 ★	2 ★	3 ★	5 ⊕	3 ⊕
<b>DKC35-34RIB</b> BRAND BLEND	SSRIB		85	25-26 ◇	26-31 ⊕	32-34 ★	34-36 ★	36-38 ★	34-40 ◇	★	★	★	★	⊕	1115	2145	2 ★	3 ⊕	2 ★	3 ⊕	3 ⊕	2 ★	3 ★	3 ⊕
<b>DKC35-88RIB</b> BRAND BLEND	VT2PRIB		85	24-26 ★	26-31 ★	31-34 ★	34-36 ★	36-38 ⊕	38-40 ◇	★	★	★	⊕	★	1100	2125	2 ★	3 ⊕	2 ⊕	2 ★	4 ⊕	3 ⊕	4 ★	3 ★
<b>DKC36-48RIB</b> BRAND BLEND	VT2PRIB		86	22-25 ★	25-28 ★	28-30 ★	30-33 ★	33-34 ⊕	34-36 ◇	⊕	★	★	⊕	⊕	1120	2150	3 ⊕	3 ⊕	3 ◇	2 ★	2 ★	3 ⊕	3 ★	4 ⊕
<b>DKC36-86RIB</b> BRAND BLEND	VT2PRIB		86	23-26 ★	26-30 ★	30-33 ★	33-35 ★	35-37 ★	37-39 ⊕	★	★	★	⊕	★	1125	2150	3 ⊕	3 ⊕	2 ⊕	3 ★	2 ⊕	4 ⊕	4 ★	4 ⊕



# LOCAL AGRONOMIC RATINGS

Recommendations by your local agronomist.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- ★ Highly Recommended
- + Recommended in Most Situations
- ◇ Use with Appropriate Management
- ⊘ Not Recommended
- N/A Not Applicable

DEKALB® Disease Shield™ Product		RELATIVE MATURITY	80 TO 120 (BU/A)	120 TO 160 (BU/A)	160 TO 180 (BU/A)	180 TO 200 (BU/A)	200 TO 240 (BU/A)	240 TO 280 (BU/A)	FINE TEXTURE SOILS	MEDIUM TEXTURE SOILS	COARSE TEXTURE SOILS	CORN ON CORN	IRRIGATION / HIGH YIELD ENVIRONMENT	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	HARVEST APPEARANCE	DRYDOWN	GOSS'S WILT	TEST WEIGHT
NEW	New Product*																						
DEKALB® CORN BRANDS	VALUE-ADDED TRAIT																						
DKC39-54RIB BRAND BLEND	SSRIB	89	24-26 +	26-29 +	29-32 ★	32-34 ★	34-36 ★	36-38 +	★	★	+	★	★	1200	2225	2 ★	2 +	2 +	3 +	3 ★	2 ★	3 ★	2 ★
DKC39-55RIB BRAND BLEND	VT2PRIB	89	24-26 +	26-29 +	29-32 ★	32-34 ★	34-36 ★	36-38 +	★	★	+	+	★	1200	2225	2 ★	3 +	2 +	3 +	3 ★	2 ★	3 ★	2 ★
DKC40-64RIB BRAND BLEND	SSRIB	90	24-26 ◇	26-28 +	29-32 ★	32-35 ★	35-37 +	38-40 +	★	★	+	★	+	1195	2260	3 +	2 +	2 ★	3 +	2 +	2 +	3 ★	2 ★
NEW DKC41-54RIB BRAND BLEND	SSPRIB	91	23-25 +	25-27 ★	28-31 ★	31-34 ★	34-36 +	36-38 +	★	★	+	★	+	1200	2295	3 +	3 ★	2 +	3 +	2 ★	3 +	4 +	1 ★
DKC41-55RIB BRAND BLEND	VT2PRIB	91	23-25 +	25-27 ★	28-31 ★	31-34 ★	34-36 +	36-38 +	★	★	+	+	+	1200	2295	3 +	2 ★	2 +	2 +	2 ★	3 +	4 +	1 ★
DKC41-99RIB BRAND BLEND	VT2PRIB	91	22-24 ◇	24-29 +	30-33 ★	33-35 ★	36-37 ★	37-38 +	★	★	+	+	★	1230	2290	2 ★	2 +	2 ★	3 +	3 +	3 ★	5 ◇	4 +
DKC42-64RIB BRAND BLEND	SSRIB	92	22-24 +	25-28 +	29-32 ★	32-34 ★	34-36 ★	36-38 ★	★	★	+	★	★	1190	2315	3 +	3 +	3 +	2 ★	1 ★	3 +	3 ★	4 +
DKC42-65RIB BRAND BLEND	VT2PRIB	92	22-24 +	25-28 +	29-32 ★	32-34 ★	34-36 ★	36-38 ★	★	★	+	+	★	1190	2315	3 +	2 ★	2 ★	2 ★	1 ★	3 +	4 ★	4 +
NEW DKC093-76RIB BRAND BLEND	SSPRIB	93	22-24 +	24-27 +	28-31 ★	32-34 ★	34-36 ★	36-38 +	+	+	+	★	+	1230	2325	2 +	3 +	2 +	3 +	2 +	2 +	4 ★	3 +
NEW DKC093-77RIB BRAND BLEND	VT2PRIB	93	22-24 +	24-27 +	28-31 ★	32-34 ★	34-36 ★	36-38 +	+	+	+	+	+	1230	2325	2 +	3 +	2 +	3 +	2 +	2 ★	4 ★	3 +
DKC43-10RIB BRAND BLEND	VT2PRIB	93	20-23 ★	24-27 ★	28-31 +	32-33 +	34-35 ◇	35-36 ◇	+	+	★	+	+	1260	2325	2 ★	4 ◇	5 ◇	2 ★	4 ◇	2 ★	4 ★	4 +



# LOCAL AGRONOMIC RATINGS

Recommendations by your local agronomist.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- ★ Highly Recommended
- + Recommended in Most Situations
- ◇ Use with Appropriate Management
- ⊘ Not Recommended
- N/A Not Applicable

DEKALB® Disease Shield™ Product		RELATIVE MATURITY	80 TO 120 (BU/A)	120 TO 160 (BU/A)	160 TO 180 (BU/A)	180 TO 200 (BU/A)	200 TO 240 (BU/A)	240 TO 280 (BU/A)	FINE TEXTURE SOILS	MEDIUM TEXTURE SOILS	COARSE TEXTURE SOILS	CORN ON CORN	IRRIGATION / HIGH YIELD ENVIRONMENT	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	HARVEST APPEARANCE	DRYDOWN	GOSS'S WILT	TEST WEIGHT	
NEW	New Product*																							
DEKALB® CORN BRANDS	VALUE-ADDED TRAIT																							
DKC43-75RIB BRAND BLEND	VT2PRIB	93	21-23	23-25	25-27	29-31	32-34	35-37	★	★	+	DKC43-75RIB BRAND BLEND	+	★	1215	2325	2	2	2	2	2	1	4	3
DKC44-80RIB BRAND BLEND	VT2PRIB	94	22-24	24-26	26-28	28-32	32-35	35-36	◇	+	★	DKC44-80RIB BRAND BLEND	◇	+	1240	2330	2	4	3	3	3	2	5	4
DKC44-97RIB BRAND BLEND	SSRIB	94	22-24	24-28	29-32	32-34	34-36	36-38	★	★	+	DKC44-97RIB BRAND BLEND	★	★	1240	2350	3	2	2	3	1	2	4	2
DKC44-98RIB BRAND BLEND	VT2PRIB	94	22-24	24-28	29-32	32-34	34-36	36-38	★	★	+	DKC44-98RIB BRAND BLEND	+	★	1240	2350	3	2	2	3	1	2	5	2
NEW DKC095-57RIB BRAND BLEND	VT4PRIB	95	22-24	24-27	27-30	30-32	32-34	34-36	+	+	+	NEW DKC095-57RIB BRAND BLEND	★	★	1255	2400	3	3	3	2	2	2	5	4
DKC45-35RIB BRAND BLEND	VT2PRIB	95	24-26	27-30	31-33	33-35	35-37	36-38	★	★	+	DKC45-35RIB BRAND BLEND	+	★	1260	2405	2	2	3	3	2	3	5	2
DKC45-74RIB BRAND BLEND	SSRIB	95	24-26	29-31	32-34	34-36	35-37	36-38	★	+	+	DKC45-74RIB BRAND BLEND	★	★	1260	2400	2	3	2	2	2	2	4	3
NEW DKC096-21RIB BRAND BLEND	TRERIB	96	25-28	28-31	31-34	34-37	37-38	38-39	+	+	+	NEW DKC096-21RIB BRAND BLEND	+	★	1265	2400	2	3	3	2	3	2	4	3
DKC47-27RIB BRAND BLEND	DGVT2PRIB	97	22-24	23-25	25-27	28-33	33-35	35-37	+	★	★	DKC47-27RIB BRAND BLEND	+	+	1253	2375	3	4	3	1	3	2	4	2
DKC47-48RIB BRAND BLEND	VT2PRIB	97	24-26	24-26	26-28	30-32	32-34	35-37	★	+	+	DKC47-48RIB BRAND BLEND	+	★	1270	2425	1	2	2	2	2	4	4	4
DKC47-84RIB BRAND BLEND	SSRIB	97	24-26	27-30	31-33	34-36	35-37	36-38	★	★	+	DKC47-84RIB BRAND BLEND	★	★	1260	2415	3	2	3	1	2	2	4	4



# LOCAL AGRONOMIC RATINGS

Recommendations by your local agronomist.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- ★ Highly Recommended
- ⊕ Recommended in Most Situations
- ◇ Use with Appropriate Management
- ⊖ Not Recommended
- N/A Not Applicable

DEKALB® Disease Shield™ Product		RELATIVE MATURITY	80 TO 120 (BU/A)	120 TO 160 (BU/A)	160 TO 180 (BU/A)	180 TO 200 (BU/A)	200 TO 240 (BU/A)	240 TO 280 (BU/A)	FINE TEXTURE SOILS	MEDIUM TEXTURE SOILS	COARSE TEXTURE SOILS	CORN ON CORN	IRRIGATION / HIGH YIELD ENVIRONMENT	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	HARVEST APPEARANCE	DRYDOWN	GOSS'S WILT	TEST WEIGHT
NEW	New Product*																						
DEKALB® CORN BRANDS	VALUE-ADDED TRAIT																						
<b>DKC47-85RIB</b> BRAND BLEND	VT2PRIB	97	24-26 ⊕	27-30 ⊕	31-33 ★	34-36 ★	35-37 ★	36-38 ★	★	★	★	★	★	1260	2415	3 ⊕	2 ★	3 ★	1 ★	2 ★	2 ★	4 ★	4 ◇
<b>NEW DKC098-88RIB</b> BRAND BLEND	VT4PRIB	98	25-27 ⊕	27-30 ★	30-32 ★	32-35 ★	35-37 ★	37-39 ⊕	⊕	⊕	⊕	★	★	1270	2465	2 ⊕	2 ★	3 ⊕	2 ⊕	3 ⊕	2 ⊕	4 ★	3 ⊕
<b>DKC48-69RIB</b> BRAND BLEND	VT2PRIB	98	22-24 ◇	24-26 ⊕	27-29 ★	30-32 ★	32-34 ★	35-37 ⊕	⊕	⊕	◇	⊕	⊕	1275	2465	3 ⊕	2 ★	2 ★	2 ⊕	2 ★	3 ★	4 ★	2 ★
<b>DKC48-95RIB</b> BRAND BLEND	VT2PRIB	98	22-23 ◇	24-26 ⊕	27-28 ★	29-32 ★	33-35 ★	35-37 ★	★	⊕	◇	⊕	★	1270	2450	2 ⊕	2 ★	3 ⊕	3 ⊕	3 ⊕	2 ⊕	4 ★	3 ★
<b>NEW DKC099-11RIB</b> BRAND BLEND	VT2PRIB	99	25-27 ⊕	27-30 ⊕	30-32 ⊕	32-35 ★	35-37 ★	37-39 ★	⊕	⊕	⊕	⊕	⊕	1275	2485	2 ⊕	3 ⊕	3 ⊕	2 ⊕	2 ⊕	2 ⊕	4 ★	4 ⊕
<b>DKC49-24RIB</b> BRAND BLEND	SSRIB	99	24-26 ⊕	26-29 ⊕	29-32 ⊕	32-35 ⊕	35-36 ⊕	36-37 ⊕	★	⊕	★	⊕	★	1275	2495	2 ★	3 ⊕	3 ⊕	3 ⊕	3 ⊕	3 ⊕	5 ⊕	3 ★
<b>DKC50-87RIB</b> BRAND BLEND	SSRIB	100	22-24 ◇	24-26 ⊕	27-29 ★	30-33 ★	34-36 ★	36-38 ★	★	★	⊕	★	★	1270	2510	2 ★	2 ★	2 ★	2 ★	2 ★	3 ⊕	4 ⊕	2 ★
<b>DKC50-88RIB</b> BRAND BLEND	VT2PRIB	100	22-24 ◇	24-26 ⊕	27-29 ★	30-33 ★	34-36 ★	36-38 ★	★	★	⊕	⊕	★	1270	2505	3 ⊕	2 ★	2 ★	2 ★	2 ★	3 ⊕	5 ⊕	2 ★
<b>DKC101-33RIB</b> BRAND BLEND	SSPRIB	101	22-24 ⊕	24-26 ⊕	27-29 ⊕	30-33 ★	34-36 ★	36-38 ★	★	⊕	⊕	★	⊕	1285	2545	3 ⊕	3 ⊕	3 ⊕	3 ⊕	3 ⊕	3 ⊕	4 ★	5 ◇
<b>DKC101-35RIB</b> BRAND BLEND	VT2PRIB	101	22-24 ⊕	24-26 ⊕	27-29 ⊕	30-33 ★	34-36 ★	36-38 ★	★	⊕	⊕	⊕	★	1285	2545	3 ⊕	3 ⊕	3 ⊕	3 ⊕	3 ⊕	3 ⊕	5 ⊕	6 ◇
<b>DKC51-92RIB</b> BRAND BLEND	VT2PRIB	101	21-23 ◇	23-25 ◇	26-28 ⊕	29-31 ⊕	32-34 ★	33-36 ★	◇	★	⊕	⊕	★	1275	2530	3 ⊕	2 ★	4 ◇	1 ★	4 ⊕	3 ◇	4 ⊕	4 ⊕





# NATIONAL AGRONOMIC RATINGS

A comprehensive list of each product's characteristics.

Reference full legend at back of guide

RATING SCALE	
1	Excellent
9	Poor
-	Not Available

DEKALB® Disease Shield™ Product

**NEW** New Product\*

DEKALB® CORN BRANDS	VALUE-ADDED TRAIT	MANAGEMENT				PLANT DESCRIPTION			GROWTH							GROWTH	HARVEST			DISEASE RATINGS											HERBICIDE						
		RELATIVE MATURITY	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	PLANTING RATE	COB COLOR	KERNEL CAP COLOR	KERNEL ROW	EMERGENCE	SEEDLING GROWTH	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	GREENSNAP TOLERANCE	PLANT HEIGHT		EAR PLACEMENT	STAYGREEN	HARVEST APPEARANCE	DRYDOWN	TEST WEIGHT	GRAY LEAF SPOT	SOUTHERN RUST	ANTHRACNOSE STALK ROT	GROSS'S WILT	EYE SPOT	NORTHERN CORN LEAF BLIGHT	SOUTHERN CORN LEAF BLIGHT	COMMON RUST	GROWTH REGULATORS SENSITIVITY	SULFONYLUREA SENSITIVITY	ISOXAZOLES SENSITIVITY - PREEMERGENCE	ANTHRACNOSE LEAF BLIGHT	STEWART'S WILT LEAF BLIGHT	CORN LETHAL NECROSIS		
<b>DKC25-15RIB</b> BRAND BLEND	VT2PRIB	75	1040	1895	MED LOW	RED	YELLOW	14	2	2	2	3	2	2	MED SHORT	<b>DKC25-15RIB</b> BRAND BLEND	MED LOW	2	3	2	3	-	-	5	4	-	4	-	-	-	-	-	-	-	-	-	-
<b>DKC28-25RIB</b> BRAND BLEND	VT2PRIB	78	1055	1965	MEDIUM	RED	YELLOW	16	3	3	2	3	2	4	MEDIUM	<b>DKC28-25RIB</b> BRAND BLEND	MEDIUM	3	2	2	3	6	-	2	5	-	4	-	3	A	A	A	-	-	-	-	
<b>DKC29-89RIB</b> BRAND BLEND	VT2PRIB	79	1055	1975	MEDIUM	RED	YELLOW	12	3	2	2	2	2	2	MEDIUM	<b>DKC29-89RIB</b> BRAND BLEND	MEDIUM	2	2	2	3	6	6	5	4	-	3	-	-	A	A	A	-	-	-	-	
<b>DKC31-10RIB</b> BRAND BLEND	VT2PRIB	81	1061	2025	MED HIGH	RED	YELLOW	18	1	1	3	3	1	2	MED TALL	<b>DKC31-10RIB</b> BRAND BLEND	MED LOW	3	2	3	3	-	-	5	5	4	3	-	4	A	A	A	-	-	-	-	
<b>DKC31-85RIB</b> BRAND BLEND	VT2PRIB	81	1080	2025	MED LOW	RED	YELLOW	16	3	3	3	3	2	4	MEDIUM	<b>DKC31-85RIB</b> BRAND BLEND	MEDIUM	3	3	2	4	5	6	4	4	-	3	-	-	A	A	A	-	-	-	-	
<b>DKC32-12RIB</b> BRAND BLEND	VT2PRIB	82	1082	2050	MED LOW	RED	YELLOW	18	1	2	2	2	2	2	MEDIUM	<b>DKC32-12RIB</b> BRAND BLEND	MEDIUM	2	4	1	2	-	-	5	4	3	4	-	3	A	A	A	-	-	-	-	
<b>DKC32-35RIB</b> BRAND BLEND	VT2PRIB	82	1080	2060	MEDIUM	RED	YELLOW	18	2	2	2	3	2	2	MEDIUM	<b>DKC32-35RIB</b> BRAND BLEND	MEDIUM	2	2	3	3	6	-	2	5	-	4	-	3	A	A	A	-	-	-	-	
<b>DKC35-34RIB</b> BRAND BLEND	SSRIB	85	1115	2145	MED HIGH	RED	YELLOW	16	2	2	3	2	3	2	MEDIUM	<b>DKC35-34RIB</b> BRAND BLEND	MEDIUM	4	3	2	3	6	-	2	3	-	3	-	3	A	A	A	-	-	-	-	
<b>DKC35-88RIB</b> BRAND BLEND	VT2PRIB	85	1100	2125	MEDIUM	RED	YELLOW	16	2	3	3	2	2	2	MEDIUM	<b>DKC35-88RIB</b> BRAND BLEND	MEDIUM	3	4	3	3	5	-	5	4	4	4	-	4	A	A	A	-	-	-	-	
<b>DKC36-48RIB</b> BRAND BLEND	VT2PRIB	86	1120	2150	MED LOW	RED	YELLOW	18	3	3	3	3	2	3	MED TALL	<b>DKC36-48RIB</b> BRAND BLEND	MED HIGH	4	2	3	4	-	-	3	3	-	4	-	-	A	A	A	-	-	-	-	
<b>DKC36-86RIB</b> BRAND BLEND	VT2PRIB	86	1125	2150	MED HIGH	RED	YELLOW	20	3	3	3	2	3	2	MEDIUM	<b>DKC36-86RIB</b> BRAND BLEND	MEDIUM	4	2	4	4	-	-	5	4	-	4	-	-	A	A	A	-	-	-	-	



# NATIONAL AGRONOMIC RATINGS

A comprehensive list of each product's characteristics.

### RATING SCALE

- 1 Excellent
- 9 Poor
- Not Available

Reference full legend at back of guide

DEKALB® Disease Shield™ Product

**NEW** New Product\*

DEKALB® CORN BRANDS	VALUE-ADDED TRAIT	RELATIVE MATURITY	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	PLANTING RATE	COB COLOR	KERNEL CAP COLOR	KERNEL ROW	EMERGENCE	SEEDLING GROWTH	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	GREENSNAP TOLERANCE	PLANT HEIGHT	EAR PLACEMENT	STAYGREEN	HARVEST APPEARANCE	DRYDOWN	TEST WEIGHT	GRAY LEAF SPOT	SOUTHERN RUST	ANTHRACNOSE STALK ROT	GOSS'S WILT	EYE SPOT	NORTHERN CORN LEAF BLIGHT	SOUTHERN CORN LEAF BLIGHT	COMMON RUST	GROWTH REGULATORS SENSITIVITY	SULFONYLUREA SENSITIVITY	ISOXAZOLES SENSITIVITY - PREEMERGENCE	ANTHRACNOSE LEAF BLIGHT	STEWART'S WILT LEAF BLIGHT	CORN LETHAL NECROSIS	MANAGEMENT		PLANT DESCRIPTION		GROWTH										DISEASE RATINGS										HERBICIDE	
																																			2225	MEDIUM	RED	YELLOW	16	2	2	2	2	3	2	MEDIUM	DKC39-54RIB BRAND BLEND	MEDIUM	3	3	2	2	-	-	3	3	-	3	-	-
DKC39-54RIB BRAND BLEND	SSRIB	89	1200	2225	MEDIUM	RED	YELLOW	16	2	2	2	2	3	2	MEDIUM	DKC39-54RIB BRAND BLEND	MEDIUM	3	3	2	2	-	-	3	3	-	3	-	-	A	A	A	-	-	-																									
DKC39-55RIB BRAND BLEND	VT2PRIB	89	1200	2225	MEDIUM	RED	YELLOW	16	2	2	3	2	3	2	MEDIUM	DKC39-55RIB BRAND BLEND	MEDIUM	3	3	2	2	-	-	5	3	-	3	-	-	A	A	A	-	-	-																									
DKC40-64RIB BRAND BLEND	SSRIB	90	1195	2260	MEDIUM	RED	YELLOW	14	3	2	2	2	3	2	MEDIUM	DKC40-64RIB BRAND BLEND	MEDIUM	2	2	2	2	5	-	2	3	-	5	-	3	A	A	A	-	-	-																									
<b>NEW</b> DKC41-54RIB BRAND BLEND	SSPRIB	91	1200	2295	MEDIUM	RED	YELLOW	18	3	3	3	2	3	3	MEDIUM	<b>NEW</b> DKC41-54RIB BRAND BLEND	MEDIUM	2	2	3	1	5	-	2	4	-	-	-	3	A	A	A	-	-	-																									
DKC41-55RIB BRAND BLEND	VT2PRIB	91	1200	2295	MEDIUM	RED	YELLOW	18	3	3	2	2	2	3	MEDIUM	DKC41-55RIB BRAND BLEND	MEDIUM	2	2	3	1	5	-	2	4	-	4	-	3	A	A	A	-	-	-																									
DKC41-99RIB BRAND BLEND	VT2PRIB	91	1230	2290	MED HIGH	RED	YELLOW	18	2	2	2	2	3	2	MEDIUM	DKC41-99RIB BRAND BLEND	MEDIUM	3	3	3	4	4	-	4	5	-	3	-	-	A	A	A	-	-	-																									
DKC42-64RIB BRAND BLEND	SSRIB	92	1190	2315	MEDIUM	RED	YELLOW	16	3	2	3	3	2	2	MEDIUM	DKC42-64RIB BRAND BLEND	MEDIUM	2	1	3	4	5	-	4	3	-	4	-	-	A	A	A	-	-	-																									
DKC42-65RIB BRAND BLEND	VT2PRIB	92	1190	2315	MEDIUM	RED	YELLOW	16	3	2	2	2	2	2	MEDIUM	DKC42-65RIB BRAND BLEND	MEDIUM	2	1	3	4	5	-	4	4	-	4	-	-	A	A	A	-	-	-																									
<b>NEW</b> DKC093-76RIB BRAND BLEND	SSPRIB	93	1230	2325	MEDIUM	RED	YELLOW	18	2	2	3	2	3	3	MED TALL	<b>NEW</b> DKC093-76RIB BRAND BLEND	MED HIGH	2	2	2	3	5	-	2	4	3	-	-	3	A	A	A	-	-	-																									
<b>NEW</b> DKC093-77RIB BRAND BLEND	VT2PRIB	93	1230	2325	MEDIUM	RED	YELLOW	18	2	2	3	2	3	3	MED TALL	<b>NEW</b> DKC093-77RIB BRAND BLEND	MED HIGH	2	2	2	3	5	-	2	4	3	-	-	3	A	A	A	-	-	-																									
DKC43-10RIB BRAND BLEND	VT2PRIB	93	1260	2325	MED LOW	RED	YELLOW	18	2	3	4	5	2	4	MED TALL	DKC43-10RIB BRAND BLEND	MEDIUM	4	4	2	4	6	4	3	4	-	4	4	3	A	A	A	-	3	-																									



# NATIONAL AGRONOMIC RATINGS

A comprehensive list of each product's characteristics.

Reference full legend at back of guide

RATING SCALE	
1	Excellent
9	Poor
-	Not Available

DEKALB® Disease Shield™ Product

**NEW** New Product\*

DEKALB® CORN BRANDS	VALUE-ADDED TRAIT	RELATIVE MATURITY	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	PLANTING RATE	COB COLOR	KERNEL CAP COLOR	KERNEL ROW	EMERGENCE	SEEDLING GROWTH	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	GREENSNAP TOLERANCE	PLANT HEIGHT	EAR PLACEMENT	STAYGREEN	HARVEST APPEARANCE	DRYDOWN	TEST WEIGHT	GRAY LEAF SPOT	SOUTHERN RUST	ANTHRACNOSE STALK ROT	GOSS'S WILT	EYE SPOT	NORTHERN CORN LEAF BLIGHT	SOUTHERN CORN LEAF BLIGHT	COMMON RUST	GROWTH REGULATORS SENSITIVITY	SULFONYLUREA SENSITIVITY	ISOXAZOLES SENSITIVITY - PREEMERGENCE	ANTHRACNOSE LEAF BLIGHT	STEWART'S WILT LEAF BLIGHT	CORN LETHAL NECROSIS	DISEASE RATINGS		HERBICIDE	
																																			GROWTH	HARVEST		
<b>DKC43-75RIB</b> BRAND BLEND	VT2PRIB	93	1215	2325	MEDIUM	RED	YELLOW	18	2	3	2	2	2	2	MEDIUM	<b>DKC43-75RIB</b> BRAND BLEND	MEDIUM	3	2	1	3	4	5	3	4	-	3	-	-	A	A	A	-	-	-			
<b>DKC44-80RIB</b> BRAND BLEND	VT2PRIB	94	1240	2330	MED LOW	RED	YELLOW	16	2	2	4	3	3	4	MED TALL	<b>DKC44-80RIB</b> BRAND BLEND	MEDIUM	3	3	2	4	5	6	4	5	-	4	-	-	A	A	A	-	-	-			
<b>DKC44-97RIB</b> BRAND BLEND	SSRIB	94	1240	2350	MEDIUM	RED	YELLOW	16	3	3	2	2	3	2	MEDIUM	<b>DKC44-97RIB</b> BRAND BLEND	MEDIUM	2	1	2	2	5	-	3	4	-	4	-	-	A	A	A	-	-	-			
<b>DKC44-98RIB</b> BRAND BLEND	VT2PRIB	94	1240	2350	MEDIUM	RED	YELLOW	16	3	3	2	2	3	2	MEDIUM	<b>DKC44-98RIB</b> BRAND BLEND	MEDIUM	2	1	2	2	5	-	3	5	-	4	-	-	A	A	A	-	-	-			
<b>NEW</b> <b>DKC095-57RIB</b> BRAND BLEND	VT4PRIB	95	1255	2400	MEDIUM	RED	YELLOW	18	3	3	3	3	2	3	MEDIUM	<b>NEW</b> <b>DKC095-57RIB</b> BRAND BLEND	MED HIGH	2	2	2	4	5	-	3	5	3	5	-	3	A	A	A	-	-	-			
<b>DKC45-35RIB</b> BRAND BLEND	VT2PRIB	95	1260	2405	MEDIUM	RED	YELLOW	18	2	2	2	3	3	3	MED TALL	<b>DKC45-35RIB</b> BRAND BLEND	MED HIGH	3	2	3	2	4	-	3	5	-	4	-	3	A	A	A	-	-	-			
<b>DKC45-74RIB</b> BRAND BLEND	SSRIB	95	1260	2400	MEDIUM	RED	YELLOW	16	2	2	3	2	2	2	MED TALL	<b>DKC45-74RIB</b> BRAND BLEND	MEDIUM	2	2	2	3	-	-	2	4	-	4	-	-	A	A	A	-	-	-			
<b>NEW</b> <b>DKC096-21RIB</b> BRAND BLEND	TRERIB	96	1265	2400	MEDIUM	RED	YELLOW	16	2	3	3	3	2	3	MEDIUM	<b>NEW</b> <b>DKC096-21RIB</b> BRAND BLEND	MEDIUM	3	3	2	3	6	-	2	4	3	-	-	3	A	A	A	-	-	-			
<b>DKC47-27RIB</b> BRAND BLEND	DGVT2PRIB	97	1253	2375	MEDIUM	RED	YELLOW	16	3	3	4	3	1	3	MEDIUM	<b>DKC47-27RIB</b> BRAND BLEND	MEDIUM	3	3	2	2	4	5	5	4	3	3	4	3	C	A	A	-	3	-			
<b>DKC47-48RIB</b> BRAND BLEND	VT2PRIB	97	1270	2425	MED LOW	RED	YELLOW	18	1	1	2	2	2	4	MEDIUM	<b>DKC47-48RIB</b> BRAND BLEND	MEDIUM	2	2	4	4	5	-	5	4	3	3	-	4	A	A	A	-	2	-			
<b>DKC47-84RIB</b> BRAND BLEND	SSRIB	97	1260	2415	MED HIGH	RED	YELLOW	16	3	3	2	3	1	2	MEDIUM	<b>DKC47-84RIB</b> BRAND BLEND	MEDIUM	2	2	2	4	5	-	3	4	-	3	-	3	A	A	A	-	-	-			



# NATIONAL AGRONOMIC RATINGS

A comprehensive list of each product's characteristics.

Reference full legend at back of guide

RATING SCALE	
1	Excellent
9	Poor
-	Not Available

DEKALB® Disease Shield™ Product		RELATIVE MATURITY	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	PLANTING RATE	COB COLOR	KERNEL CAP COLOR	KERNEL ROW	EMERGENCE	SEEDLING GROWTH	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	GREENSNAP TOLERANCE	PLANT HEIGHT	EAR PLACEMENT	STAYGREEN	HARVEST APPEARANCE	DRYDOWN	TEST WEIGHT	GRAY LEAF SPOT	SOUTHERN RUST	ANTHRACNOSE STALK ROT	GOSS'S WILT	EYE SPOT	NORTHERN CORN LEAF BLIGHT	SOUTHERN CORN LEAF BLIGHT	COMMON RUST	GROWTH REGULATORS SENSITIVITY	SULFONYLUREA SENSITIVITY	ISOXAZOLES SENSITIVITY - PREEMERGENCE	ANTHRACNOSE LEAF BLIGHT	STEWART'S WILT LEAF BLIGHT	CORN LETHAL NECROSIS			
NEW New Product*		MANAGEMENT			PLANT DESCRIPTION			GROWTH								GROWTH	HARVEST			DISEASE RATINGS										HERBICIDE							
<b>DKC47-85RIB</b> BRAND BLEND		VT2PRIB	97	1260	2415	MED HIGH	RED	YELLOW	16	3	3	2	3	1	3	MEDIUM	<b>DKC47-85RIB</b> BRAND BLEND		MEDIUM	3	2	2	4	6	-	3	4	-	4	-	3	A	A	A	-	-	-
<b>DKC098-88RIB</b> BRAND BLEND	<b>NEW</b>	VT4PRIB	98	1270	2465	MED HIGH	RED	YELLOW	18	2	2	2	3	2	3	MED SHORT	<b>DKC098-88RIB</b> BRAND BLEND	<b>NEW</b>	MEDIUM	3	3	2	3	5	-	2	4	3	-	-	3	A	A	A	-	-	-
<b>DKC48-69RIB</b> BRAND BLEND		VT2PRIB	98	1275	2465	MEDIUM	RED	YELLOW	20	3	3	2	2	2	2	MED TALL	<b>DKC48-69RIB</b> BRAND BLEND		MEDIUM	2	2	3	2	4	-	3	4	-	4	-	-	A	A	A	-	-	-
<b>DKC48-95RIB</b> BRAND BLEND		VT2PRIB	98	1270	2450	MED HIGH	RED	YELLOW	20	2	2	2	3	3	3	MEDIUM	<b>DKC48-95RIB</b> BRAND BLEND		MEDIUM	3	3	2	3	5	-	3	4	-	4	-	-	A	A	A	-	-	-
<b>DKC099-11RIB</b> BRAND BLEND	<b>NEW</b>	VT2PRIB	99	1275	2485	MEDIUM	RED	YELLOW	16	2	2	3	3	2	3	MEDIUM	<b>DKC099-11RIB</b> BRAND BLEND	<b>NEW</b>	MEDIUM	3	2	2	4	4	-	2	4	3	-	-	3	A	A	A	-	-	-
<b>DKC49-24RIB</b> BRAND BLEND		SSRIB	99	1275	2495	MED HIGH	RED	YELLOW	18	2	2	3	3	3	2	MED TALL	<b>DKC49-24RIB</b> BRAND BLEND		MEDIUM	3	3	3	3	5	-	2	5	-	4	-	4	A	A	A	-	-	-
<b>DKC50-87RIB</b> BRAND BLEND		SSRIB	100	1270	2510	MEDIUM	RED	YELLOW	18	2	2	2	2	2	3	MEDIUM	<b>DKC50-87RIB</b> BRAND BLEND		MEDIUM	3	2	3	2	4	-	3	4	-	4	-	-	A	A	A	-	-	-
<b>DKC50-88RIB</b> BRAND BLEND		VT2PRIB	100	1270	2505	MEDIUM	RED	YELLOW	18	3	2	2	2	2	2	MEDIUM	<b>DKC50-88RIB</b> BRAND BLEND		MEDIUM	3	2	3	2	4	-	3	5	-	4	-	-	A	A	A	-	-	-
<b>DKC101-33RIB</b> BRAND BLEND		SSPRIB	101	1285	2545	MED HIGH	RED	YELLOW	16	3	2	3	3	3	3	MEDIUM	<b>DKC101-33RIB</b> BRAND BLEND		MED LOW	3	3	3	5	5	-	2	4	-	4	-	3	A	A	A	-	-	-
<b>DKC101-35RIB</b> BRAND BLEND		VT2PRIB	101	1285	2545	MED HIGH	RED	YELLOW	16	3	2	3	3	3	4	MEDIUM	<b>DKC101-35RIB</b> BRAND BLEND		MED LOW	3	3	3	6	6	-	3	5	-	4	-	3	A	A	A	-	-	-
<b>DKC51-92RIB</b> BRAND BLEND		VT2PRIB	101	1275	2530	MED LOW	RED	YELLOW	16	3	3	2	4	1	2	MEDIUM	<b>DKC51-92RIB</b> BRAND BLEND		MED LOW	4	4	3	4	5	5	5	4	-	4	-	-	A	A	A	-	-	-



# SCIENCE-DRIVEN GENETICS.

Chase the highest yields with Asgrow® brand soybeans. Featuring 100% exclusive genetics and leading agronomic expertise to help maximize profitability on every acre.

See how much further your operation can go with Asgrow brand by your side.



# LOCAL AGRONOMIC RATINGS

Recommendations by your local agronomist.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- ★ Highly Recommended
- + Recommended in Most Situations
- ◇ Use with Appropriate Management
- ⊘ Not Recommended
- N/A Not Applicable

NEW New Product*		RELATIVE MATURITY	FINE TEXTURE SOILS	DROUGHT PRONE / COARSE SOILS	POORLY DRAINED SOILS	IRRIGATION / HIGH YIELD ENVIRONMENT	SOLID SEEDING	30" ROW SPACING	CANOPY	GROWTH HABIT	FLOWER COLOR	PUBESCENCE COLOR	PLANT HEIGHT CATEGORY	EMERGENCE	STANDABILITY	NO-TILL ADAPTABILITY	IRON CHLOROSIS	SOYBEAN CYST NEMATODE	PRR RESISTANCE	PRR FIELD TOLERANCE	WHITE MOLD	BROWN STEM ROT	SUDDEN DEATH SYNDROME
ASGROW® SOYBEAN BRANDS	RELATIVE MATURITY																						
<b>AG002X4</b> BRAND	RR2X	0.02	+	+	+	◇	★	◇	MB	INDETERMINATE	PURPLE	LT	M	2 +	2 ★	2 +	3 +	R3 ★	RPS1K	4 ★	3 ★	6 ◇	-
<b>AG005XF3</b> BRAND	XF	0.05	+	+	+	+	★	◇	MB	INDETERMINATE	PURPLE	T	MT	1 ★	4 +	2 ★	5 ◇	R3 ★	RPS1C	5 +	5 +	-	6 ◇
<b>AG007XF3</b> BRAND	XF	0.07	+	+	+	+	★	◇	MB	INDETERMINATE	PURPLE	T	MT	2 +	4 +	2 ★	4 ◇	S ⊘	RPS1C	4 ★	4 ★	-	6 ◇
<b>AG009X8</b> BRAND	RR2X	0.09	+	+	+	★	★	+	MB	INDETERMINATE	PURPLE	T	MT	2 +	1 ★	2 ★	3 +	S ⊘	RPS1K	6 ◇	4 ★	6 ◇	-
<b>AG009XF3</b> BRAND	XF	0.09	+	+	+	+	★	+	MB	INDETERMINATE	PURPLE	T	T	2 +	5 ◇	3 ★	4 ◇	R3 ★	SUSC.	5 +	4 +	6 ◇	5 ◇
<b>AG01XF3</b> BRAND	XF	0.1	◇	★	+	+	★	+	MB	INDETERMINATE	PURPLE	LT	MT	2 +	5 ◇	2 ★	5 ◇	R3 ★	RPS1C	4 ★	5 +	-	5 ◇
<b>AG02XF2</b> BRAND	XF	0.2	★	★	+	+	★	+	MB	INDETERMINATE	PURPLE	LT	MT	1 ★	3 ★	2 ★	4 +	S ⊘	RPS1C	6 ◇	5 +	3 +	5 ◇
<b>NEW AG02XF4</b> BRAND	XF	0.2	+	★	+	★	★	+	MB	INDETERMINATE	PURPLE	LT	MT	2 +	3 +	1 ★	5 ◇	MR3 +	RPS1C	4 ★	5 +	3 +	6 ◇
<b>AG03XF2</b> BRAND	XF	0.3	★	+	+	★	★	+	MB	INDETERMINATE	PURPLE	T	M	1 ★	2 ★	2 ★	3 ★	R3 ★	RPS1C	6 ◇	3 ★	6 ◇	4 +
<b>NEW AG04XF4</b> BRAND	XF	0.4	★	+	+	★	★	★	MB	INDETERMINATE	PURPLE	LT	MT	2 +	3 ★	1 +	4 +	MR3 +	RPS1C	5 +	4 ★	5 ◇	4 +
<b>NEW AG05XF4</b> BRAND	XF	0.5	★	+	+	+	+	★	MB	INDETERMINATE	PURPLE	LT	MT	2 +	4 +	3 +	3 ★	R3 ★	SUSC.	4 +	4 +	-	5 ◇



# LOCAL AGRONOMIC RATINGS

Recommendations by your local agronomist.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- ★ Highly Recommended
- + Recommended in Most Situations
- ◇ Use with Appropriate Management
- ⊘ Not Recommended
- N/A Not Applicable

NEW New Product*		RELATIVE MATURITY	FINE TEXTURE SOILS	DROUGHT PRONE / COARSE SOILS	POORLY DRAINED SOILS	IRRIGATION / HIGH YIELD ENVIRONMENT	SOLID SEEDING	30" ROW SPACING	CANOPY	GROWTH HABIT	FLOWER COLOR	PUBESCENCE COLOR	PLANT HEIGHT CATEGORY	EMERGENCE	STANDABILITY	NO-TILL ADAPTABILITY	IRON CHLOROSIS	SOYBEAN CYST NEMATODE	PRR RESISTANCE	PRR FIELD TOLERANCE	WHITE MOLD	BROWN STEM ROT	SUDDEN DEATH SYNDROME	
ASGROW® SOYBEAN BRANDS	RELATIVE MATURITY																							
<b>AG06XF3</b> BRAND	XF	0.6	★	+	★	+	★	+	MB	INDETERMINATE	PURPLE	<b>AG06XF3</b> BRAND	LT	MT	1 ★	3 +	2 +	4 +	R3 ★	RPS1C	4 ★	4 ★	6 ◇	5 ◇
<b>AG07XF2</b> BRAND	XF	0.7	★	+	+	★	★	+	MB	INDETERMINATE	PURPLE	<b>AG07XF2</b> BRAND	LT	MT	1 ★	2 ★	1 ★	3 ★	R3 ★	RPS1K	5 +	5 +	2 ★	-
<b>AG07XF4</b> BRAND	XF	0.7	★	+	★	★	+	★	MB	INDETERMINATE	PURPLE	<b>AG07XF4</b> BRAND	LT	MT	1 ★	3 +	1 ★	3 ★	R3 ★	RPS3A	5 +	4 ★	2 ★	5 ◇
<b>AG09XF3</b> BRAND	XF	0.9	★	★	+	★	★	★	MB	INDETERMINATE	PURPLE	<b>AG09XF3</b> BRAND	T	MT	2 +	3 +	2 ★	5 ◇	R3 ★	RPS1C	5 +	4 ★	-	6 ◇
<b>AG10XF4</b> BRAND	XF	1.0	★	+	★	+	★	+	MB	INDETERMINATE	PURPLE	<b>AG10XF4</b> BRAND	G	MT	2 +	3 ★	1 +	3 +	R3 ★	RPS1C	4 +	4 ★	3 +	5 ◇
<b>AG11XF2</b> BRAND	XF	1.1	★	+	+	★	◇	★	MB	INDETERMINATE	PURPLE	<b>AG11XF2</b> BRAND	LT	MT	1 ★	3 +	1 ★	4 ◇	R3 ★	RPS3A	5 +	5 +	5 +	4 +
<b>AG11XF4</b> BRAND	XF	1.1	+	+	+	+	+	★	MB	INDETERMINATE	PURPLE	<b>AG11XF4</b> BRAND	LT	MT	2 +	3 ★	2 +	4 ★	R3 ★	RPS1C	5 ◇	5 +	3 +	-
<b>AG12XF3</b> BRAND	XF	1.2	+	★	◇	+	◇	★	MB	INDETERMINATE	PURPLE	<b>AG12XF3</b> BRAND	LT	MT	2 +	4 +	2 ★	4 ◇	R3 ★	RPS1C	5 ◇	5 +	2 ★	5 ◇
<b>AG12XF4</b> BRAND	XF	1.2	+	+	+	★	★	★	MB	INDETERMINATE	PURPLE	<b>AG12XF4</b> BRAND	G	MT	2 +	3 +	2 ★	4 +	S ⊘	RPS1C	5 ◇	4 ★	4 +	6 ◇
<b>AG13XF4</b> BRAND	XF	1.3	+	+	+	+	+	★	MB	INDETERMINATE	PURPLE	<b>AG13XF4</b> BRAND	LT	M	2 +	3 +	1 +	3 +	R3 ★	RPS1C	4 +	5 +	2 ★	4 +
<b>AG15XF2</b> BRAND	XF	1.5	+	+	+	★	◇	★	MB	INDETERMINATE	PURPLE	<b>AG15XF2</b> BRAND	G	MT	2 ★	3 +	2 ★	5 ⊘	R3 ★	RPS1C	5 +	5 +	3 +	6 ◇



# NATIONAL AGRONOMIC RATINGS

A comprehensive list of each product's characteristics.

Reference full legend at back of guide

RATING SCALE	
1	Excellent
9	Poor
-	Not Available

ASGROW® SOYBEAN BRANDS		VALUE-ADDED TRAIT	RELATIVE MATURITY	HERBICIDE TOLERANT TRAIT	FLOWER COLOR	PUBESCENCE COLOR	POD WALL COLOR	HILUM COLOR	PLANT HEIGHT CATEGORY	PROTEIN CONTENT	GROWTH HABIT	OIL CONTENT (NAT)	CANOPY	EMERGENCE	STANDABILITY	NO-TILL ADAPTABILITY	IRON CHLOROSIS	CHLORIDE SENSITIVITY	SOYBEAN CYST NEMATODE	PRR RESISTANCE	PRR FIELD TOLERANCE	WHITE MOLD	BROWN STEM ROT	SUDDEN DEATH SYNDROME	FROGEYE LEAF SPOT	SOUTHERN STEM CANKER	SOUTHERN ROOT KNOT (M. INCOGNITA)	
ASGROW® SOYBEAN BRANDS		VALUE-ADDED TRAIT	PLANT DESCRIPTION									PRODUCTION		PRODUCTION	SENSITIVITY	DISEASE RATINGS												
<b>NEW</b>	<b>AG002X4</b> BRAND	00	0.02	RR2X	PURPLE	LT	BR	BR	M	-	INDETERMINATE	-	MB	2	<b>AG002X4</b> BRAND	2	2	3	INC	R3	RPS1K	4	3	6	-	-	-	-
	<b>AG005XF3</b> BRAND	00	0.05	XF	PURPLE	T	BR	BL	MT	33.6	INDETERMINATE	19.2	MB	1	<b>AG005XF3</b> BRAND	4	2	5	INC	R3	RPS1C	5	5	-	6	-	-	S
	<b>AG007XF3</b> BRAND	00	0.07	XF	PURPLE	T	BR	BL	MT	32.5	INDETERMINATE	19.7	MB	2	<b>AG007XF3</b> BRAND	4	2	4	INC	S	RPS1C	4	4	-	6	-	-	S
	<b>AG009X8</b> BRAND	00	0.09	RR2X	PURPLE	T	BR	BL	MT	33.0	INDETERMINATE	18.5	MB	2	<b>AG009X8</b> BRAND	1	2	3	INC.	S	RPS1K	6	4	6	-	-	-	-
	<b>AG009XF3</b> BRAND	00	0.09	XF	PURPLE	T	BR	BL	T	32.5	INDETERMINATE	19.1	MB	2	<b>AG009XF3</b> BRAND	5	3	4	INC	R3	SUSC.	5	4	6	5	-	-	S
	<b>AG01XF3</b> BRAND	0	0.1	XF	PURPLE	LT	BR	BL	MT	33.5	INDETERMINATE	18.5	MB	2	<b>AG01XF3</b> BRAND	5	2	5	INC	R3	RPS1C	4	5	-	5	-	-	S
	<b>AG02XF2</b> BRAND	0	0.2	XF	PURPLE	LT	BR	BL	MT	-	INDETERMINATE	-	MB	1	<b>AG02XF2</b> BRAND	3	2	4	INC	S	RPS1C	6	5	3	5	-	-	-
<b>NEW</b>	<b>AG02XF4</b> BRAND	0	0.2	XF	PURPLE	LT	BR	BL	MT	-	INDETERMINATE	-	MB	2	<b>NEW</b> <b>AG02XF4</b> BRAND	3	1	5	INC	MR3	RPS1C	4	5	3	6	-	-	-
	<b>AG03XF2</b> BRAND	0	0.3	XF	PURPLE	T	BR	BL	M	33.1	INDETERMINATE	18.2	MB	1	<b>AG03XF2</b> BRAND	2	2	3	INC	R3	RPS1C	6	3	6	4	-	-	-
<b>NEW</b>	<b>AG04XF4</b> BRAND	0	0.4	XF	PURPLE	LT	BR	BL	MT	-	INDETERMINATE	-	MB	2	<b>NEW</b> <b>AG04XF4</b> BRAND	3	1	4	INC	MR3	RPS1C	5	4	5	4	-	-	-
<b>NEW</b>	<b>AG05XF4</b> BRAND	0	0.5	XF	PURPLE	LT	BR	BR	MT	-	INDETERMINATE	-	MB	2	<b>NEW</b> <b>AG05XF4</b> BRAND	4	3	3	INC	R3	SUSC.	4	4	-	5	-	-	-





# NATIONAL AGRONOMIC RATINGS

A comprehensive list of each product's characteristics.

Reference full legend at back of guide

RATING SCALE	
1	Excellent
9	Poor
-	Not Available

NEW New Product*		RELATIVE MATURITY	HERBICIDE TOLERANT TRAIT	FLOWER COLOR	PUBESCENCE COLOR	POD WALL COLOR	HILUM COLOR	PLANT HEIGHT CATEGORY	PROTEIN CONTENT	GROWTH HABIT	OIL CONTENT (NAT)	CANOPY	EMERGENCE	STANDABILITY	NO-TILL ADAPTABILITY	IRON CHLOROSIS	CHLORIDE SENSITIVITY	SOYBEAN CYST NEMATODE	PRR RESISTANCE	PRR FIELD TOLERANCE	WHITE MOLD	BROWN STEM ROT	SUDDEN DEATH SYNDROME	FROGEYE LEAF SPOT	SOUTHERN STEM CANKER	SOUTHERN ROOT KNOT (M. INCOGNITA)	
ASGROW® SOYBEAN BRANDS	VALUE-ADDED TRAIT	PLANT DESCRIPTION										PRODUCTION		PRODUCTION	SENSITIVITY	DISEASE RATINGS											
<b>AG06XF3</b> BRAND	0	0.6	XF	PURPLE	LT	BR	BL	MT	32.7	INDETERMINATE	19.3	MB	1	<b>AG06XF3</b> BRAND	3	2	4	INC	R3	RPS1C	4	4	6	5	-	-	S
<b>AG07XF2</b> BRAND	0	0.7	XF	PURPLE	LT	TN	BR	MT	33.5	INDETERMINATE	19.6	MB	1	<b>AG07XF2</b> BRAND	2	1	3	-	R3	RPS1K	5	5	2	-	-	-	-
<b>NEW AG07XF4</b> BRAND	0	0.7	XF	PURPLE	LT	BR	BL	MT	-	INDETERMINATE	-	MB	1	<b>NEW AG07XF4</b> BRAND	3	1	3	INC	R3	RPS3A	5	4	2	5	-	-	-
<b>AG09XF3</b> BRAND	0	0.9	XF	PURPLE	T	BR	BL	MT	-	INDETERMINATE	-	MB	2	<b>AG09XF3</b> BRAND	3	2	5	INC	R3	RPS1C	5	4	-	6	-	-	S
<b>NEW AG10XF4</b> BRAND	1	1.0	XF	PURPLE	G	BR	IB	MT	-	INDETERMINATE	-	MB	2	<b>NEW AG10XF4</b> BRAND	3	1	3	INC	R3	RPS1C	4	4	3	5	-	-	-
<b>AG11XF2</b> BRAND	1	1.1	XF	PURPLE	LT	TN	BR	MT	34.4	INDETERMINATE	19.2	MB	1	<b>AG11XF2</b> BRAND	3	1	4	INC	R3	RPS3A	5	5	5	4	-	-	-
<b>NEW AG11XF4</b> BRAND	1	1.1	XF	PURPLE	LT	TN	BL	MT	-	INDETERMINATE	-	MB	2	<b>NEW AG11XF4</b> BRAND	3	2	4	INC	R3	RPS1C	5	5	3	-	-	-	-
<b>AG12XF3</b> BRAND	1	1.2	XF	PURPLE	LT	BR	BL	MT	-	INDETERMINATE	-	MB	2	<b>AG12XF3</b> BRAND	4	2	4	INC	R3	RPS1C	5	5	2	5	-	-	S
<b>NEW AG12XF4</b> BRAND	1	1.2	XF	PURPLE	G	BR	IB	MT	-	INDETERMINATE	-	MB	2	<b>NEW AG12XF4</b> BRAND	3	2	4	INC	S	RPS1C	5	4	4	6	-	-	-
<b>NEW AG13XF4</b> BRAND	1	1.3	XF	PURPLE	LT	BR	BL	M	-	INDETERMINATE	-	MB	2	<b>NEW AG13XF4</b> BRAND	3	1	3	INC	R3	RPS1C	4	5	2	4	-	-	-
<b>AG15XF2</b> BRAND	1	1.5	XF	PURPLE	G	BR	IB	MT	-	INDETERMINATE	-	MB	2	<b>AG15XF2</b> BRAND	3	2	5	INC	R3	RPS1C	5	5	3	6	-	-	-



# MILK EVERY ACRE.

Your cows require high-quality feed, and DEKALB® silage products deliver. Our industry-leading genetics have the superior yield potential you need, while also delivering improved digestibility and higher nutritional value for your livestock. Combined with dealer knowledge, data science tools and more, you can produce even more milk per acre.



# LOCAL AGRONOMIC RATINGS

Recommendations by your local agronomist.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- ★ Highly Recommended
- ⊕ Recommended in Most Situations
- ◇ Use with Appropriate Management
- ⊘ Not Recommended
- N/A Not Applicable



# LOCAL AGRONOMIC RATINGS

Recommendations by your local agronomist.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- ★ Highly Recommended
- ⊕ Recommended in Most Situations
- ◇ Use with Appropriate Management
- ⊘ Not Recommended
- N/A Not Applicable

DEKALB® Disease Shield™ Product		RELATIVE MATURITY	DROUGHT TOLERANCE	PLANT HEIGHT	NDFD 30HR	% OF STARCH	SILAGE YIELD	MILK PER TON	MILK PER ACRE
NEW	New Product								
DEKALB® SILAGE BRANDS	VALUE-ADDED TRAIT								
DKC31-85RIB BRAND BLEND	VT2PRIB	81	2	MEDIUM	4	3	3	4	3
DKC36-48RIB BRAND BLEND	VT2PRIB	86	2	MED TALL	3	3	3	2	2
DKC36-86RIB BRAND BLEND	VT2PRIB	86	3	MEDIUM	4	3	3	3	4
DKC39-54RIB BRAND BLEND	SSRIB	89	3	MEDIUM	5	3	3	4	3
DKC39-55RIB BRAND BLEND	VT2PRIB	89	3	MEDIUM	5	3	3	4	3
DKC41-99RIB BRAND BLEND	VT2PRIB	91	3	MEDIUM	2	2	3	2	3
NEW DKC093-05RIB BRAND BLEND	SSRIB	93	2	MED TALL	2	3	1	2	1
DKC44-80RIB BRAND BLEND	VT2PRIB	94	3	MED TALL	2	2	2	2	2
DKC45-74RIB BRAND BLEND	SSRIB	95	2	MED TALL	4	3	2	4	3
NEW DKC098-55RIB BRAND BLEND	SSRIB	98	2	MED TALL	1	3	1	2	1
DKC50-88RIB BRAND BLEND	VT2PRIB	100	2	MEDIUM	4	3	1	3	2

DEKALB® Disease Shield™ Product		RELATIVE MATURITY	DROUGHT TOLERANCE	PLANT HEIGHT	NDFD 30HR	% OF STARCH	SILAGE YIELD	MILK PER TON	MILK PER ACRE
NEW	New Product								
DEKALB® SILAGE BRANDS	VALUE-ADDED TRAIT								
DKC101-35RIB BRAND BLEND	VT2PRIB	101	3	MEDIUM	3	3	2	2	2
DKC51-25RIB BRAND BLEND	VT2PRIB	101	2	MEDIUM	4	3	1	2	3
DKC51-91RIB BRAND BLEND	SSRIB	101	1	MEDIUM	1	2	2	2	2
DKC52-18RIB BRAND BLEND	SSRIB	102	3	MEDIUM	4	3	1	2	3
DKC53-94RIB BRAND BLEND	SSRIB	103	3	MED TALL	1	2	2	2	1
DKC105-35RIB BRAND BLEND	VT2PRIB	105	3	MED TALL	3	1	2	2	2



# NATIONAL AGRONOMIC RATINGS

A comprehensive list of each product's characteristics.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- Highly Recommended
- Recommended in Most Situations
- Use with Appropriate Management
- Not Recommended
- N/A Not Applicable

DEKALB® Disease Shield™ Product

Silage Proven

NEW New Product\*

DEKALB® SILAGE BRANDS	VALUE-ADDED TRAIT	MANAGEMENT				PLANT DESCRIPTION								GROWTH						HARVEST				DISEASE RATINGS											HERBICIDE			SILAGE CHARACTERISTICS							
		RELATIVE MATURITY	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	PLANTING RATE	COB COLOR	KERNEL ROW	EMERGENCE	SEEDLING GROWTH	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	GREENSNAP TOLERANCE	PLANT HEIGHT	EAR PLACEMENT	STAYGREEN	HARVEST APPEARANCE	DRYDOWN	TEST WEIGHT	NORTHERN CORN LEAF BLIGHT	SOUTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	EYE SPOT	COMMON RUST	SOUTHERN RUST	ANTHRACNOSE STALK ROT	GOSS'S WILT	GROWTH REGULATORS SENSITIVITY	SULFONYLUREA SENSITIVITY	ISOXAZOLES SENSITIVITY - PREEMERGENCE	NDFD 24HR	NDFD 30HR	% OF STARCH	IVSD7HR	SILAGE YIELD	MILK PER TON	MILK PER ACRE	SILAGE PROVEN	STEWART'S WILT LEAF BLIGHT	CORN LETHAL NECROSIS					
DKC31-85RIB BRAND BLEND	VT2PRIB	81	1080	2025	MED LOW	RED	16	3	3	3	3	2	-	MEDIUM	MEDIUM	3	3	2	3	DKC31-85RIB BRAND BLEND	3	-	5	-	-	6	4	4	A	-	A	4	4	3	4	3	4	3	NO	-	-				
DKC36-48RIB BRAND BLEND	VT2PRIB	86	1120	2150	MED LOW	RED	18	3	3	3	3	2	-	MED TALL	MED HIGH	4	2	3	4	DKC36-48RIB BRAND BLEND	4	-	-	-	-	-	3	3	A	-	A	3	3	3	2	3	2	2	NO	-	-				
DKC36-86RIB BRAND BLEND	VT2PRIB	86	1125	2150	MED HIGH	RED	20	3	3	3	2	3	-	MEDIUM	MEDIUM	4	2	4	4	DKC36-86RIB BRAND BLEND	4	-	-	-	-	-	5	4	A	-	A	4	4	3	5	3	3	4	NO	-	-				
DKC39-54RIB BRAND BLEND	SSRIB	89	1200	2225	MEDIUM	RED	16	2	2	2	2	3	-	MEDIUM	MEDIUM	3	3	2	2	DKC39-54RIB BRAND BLEND	3	-	-	-	-	-	3	3	A	-	A	5	5	3	2	3	4	3	NO	-	-				
DKC39-55RIB BRAND BLEND	VT2PRIB	89	1200	2225	MEDIUM	RED	16	2	2	3	2	3	-	MEDIUM	MEDIUM	3	3	2	2	DKC39-55RIB BRAND BLEND	3	-	-	-	-	-	5	3	A	-	A	5	5	3	2	3	4	3	NO	-	-				
DKC41-99RIB BRAND BLEND	VT2PRIB	91	1230	2290	MED HIGH	RED	18	2	2	2	2	3	-	MEDIUM	MEDIUM	3	3	3	4	DKC41-99RIB BRAND BLEND	3	-	4	-	-	-	4	5	A	-	A	2	2	2	3	3	2	3	NO	-	-				
NEW DKC093-05RIB BRAND BLEND	SSRIB	93	1230	2325	MEDIUM	RED	16	2	2	2	2	2	3	MED TALL	MEDIUM	3	3	3	3	NEW DKC093-05RIB BRAND BLEND	4	-	5	3	3	-	2	4	A	A	A	2	2	3	2	1	2	1	YES	-	-				
DKC44-80RIB BRAND BLEND	VT2PRIB	94	1240	2330	MED LOW	RED	16	2	2	4	3	3	-	MED TALL	MEDIUM	3	3	2	4	DKC44-80RIB BRAND BLEND	4	-	5	-	-	6	4	5	A	-	A	2	2	2	3	2	2	2	YES	-	-				
DKC45-74RIB BRAND BLEND	SSRIB	95	1260	2400	MEDIUM	RED	16	2	2	3	2	2	-	MED TALL	MEDIUM	2	2	2	3	DKC45-74RIB BRAND BLEND	4	-	-	-	-	-	2	4	A	-	A	3	4	3	3	2	4	3	NO	-	-				
NEW DKC098-55RIB BRAND BLEND	SSRIB	98	1270	2465	MED LOW	RED	16	2	3	4	3	2	2	MED TALL	MEDIUM	2	2	3	4	NEW DKC098-55RIB BRAND BLEND	4	-	5	3	3	-	2	5	A	A	A	2	1	3	2	1	2	1	YES	-	-				
DKC50-88RIB BRAND BLEND	VT2PRIB	100	1270	2505	MEDIUM	RED	18	3	2	2	2	2	-	MEDIUM	MEDIUM	3	2	3	2	DKC50-88RIB BRAND BLEND	4	-	4	-	-	-	3	5	A	-	A	4	4	3	3	1	3	2	NO	-	-				



# NATIONAL AGRONOMIC RATINGS

A comprehensive list of each product's characteristics.

Reference full legend at back of guide

- 1 Excellent
- 9 Poor
- Not Available
- Highly Recommended
- Recommended in Most Situations
- Use with Appropriate Management
- Not Recommended
- N/A Not Applicable

DEKALB® Disease Shield™ Product

Silage Proven

**NEW** New Product\*

DEKALB® SILAGE BRANDS	VALUE-ADDED TRAIT	MANAGEMENT				PLANT DESCRIPTION		GROWTH							HARVEST			DISEASE RATINGS											HERBICIDE			SILAGE CHARACTERISTICS									
		RELATIVE MATURITY	GDUS TO MID-POLLINATION	GDUS TO BLACK LAYER	PLANTING RATE	COB COLOR	KERNEL ROW	EMERGENCE	SEEDLING GROWTH	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	GREENSNAP TOLERANCE	PLANT HEIGHT	EAR PLACEMENT	STAYGREEN	HARVEST APPEARANCE	DRYDOWN	TEST WEIGHT	NORTHERN CORN LEAF BLIGHT	SOUTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	EYE SPOT	COMMON RUST	SOUTHERN RUST	ANTHRACNOSE STALK ROT	GOSS'S WILT	GROWTH REGULATORS SENSITIVITY	SULFONYLUREA SENSITIVITY	ISOXAZOLES SENSITIVITY - PREEMERGENCE	NDFD 24HR	NDFD 30HR	% OF STARCH	IVSD7HR	SILAGE YIELD	MILK PER TON	MILK PER ACRE	SILAGE PROVEN	STEWART'S WILT LEAF BLIGHT	CORN LETHAL NECROSIS	
<b>DKC101-35RIB</b> BRAND BLEND	VT2PRIB	101	1285	2545	MED HIGH	RED	16	3	2	3	3	3	-	MEDIUM	MED LOW	3	3	3	5	<b>DKC101-35RIB</b> BRAND BLEND	4	-	6	-	3	-	3	5	A	-	A	3	3	3	3	2	2	2	NO	-	-
<b>DKC51-25RIB</b> BRAND BLEND	VT2PRIB	101	1300	2530	MEDIUM	RED	18	3	3	3	3	2	-	MEDIUM	MEDIUM	3	3	3	2	<b>DKC51-25RIB</b> BRAND BLEND	4	-	4	-	-	6	5	4	A	-	A	4	4	3	3	1	2	3	YES	-	-
<b>DKC51-91RIB</b> BRAND BLEND	SSRIB	101	1275	2530	MED LOW	RED	16	3	3	2	4	1	-	MEDIUM	MED LOW	4	4	3	4	<b>DKC51-91RIB</b> BRAND BLEND	4	-	5	-	-	5	5	4	A	-	A	2	1	2	3	2	2	2	NO	-	-
<b>DKC52-18RIB</b> BRAND BLEND	SSRIB	102	1285	2540	MED HIGH	RED	18	3	3	3	2	3	-	MEDIUM	MEDIUM	3	2	3	3	<b>DKC52-18RIB</b> BRAND BLEND	4	-	5	-	-	-	3	4	A	-	A	4	4	3	3	1	2	3	NO	-	-
<b>DKC53-94RIB</b> BRAND BLEND	SSRIB	103	1300	2585	MED HIGH	RED	16	3	3	2	3	3	-	MED TALL	MEDIUM	3	3	3	3	<b>DKC53-94RIB</b> BRAND BLEND	4	-	5	-	3	-	4	4	-	-	-	1	1	2	2	2	2	1	YES	-	-
<b>DKC105-35RIB</b> BRAND BLEND	VT2PRIB	105	1305	2605	MED HIGH	RED	18	2	3	4	3	3	-	MED TALL	MEDIUM	2	2	3	4	<b>DKC105-35RIB</b> BRAND BLEND	4	-	5	-	3	6	2	4	A	-	A	3	3	1	3	2	2	2	-	-	-



# HIGH STANDARDS. HIGHER YIELD POTENTIAL.

DEKALB® spring canola seed offers consistently high performance. But that's just the beginning. By working closely with your dealer, you can find the right DEKALB specialty crop products to maximize performance potential and drive your yield further.





# CORN LEGEND

## RATING SCALE

1 = Excellent | 9 = Poor | - = None

These ratings are approximate and should not be considered as absolute. Based on Bayer-conducted trials relative to other DEKALB® brand corn.

## CODES

L	Low
S	Short
M-S	Medium-Short
M	Medium
M-MH	Medium-Medium High
M-H	Medium-High
M-L	Medium-Low
M-T	Medium-Tall
MH-H	Medium High-High
T	Tall
H	High

## VALUE-ADDED TRAITS

CONV	Conventional
RR2	Roundup Ready® Corn 2
SS	SmartStax®
SSRIB	SmartStax® RIB Complete®
SSP	SmartStax® PRO®
SSPRIB	SmartStax® PRO® RIB Complete®
TRECEPTA	Trecepta®
TRERIB	Trecepta® RIB Complete®
VT2P	VT Double PRO®
VT2PRIB	VT Double PRO® RIB Complete®
VT3P	VT Triple PRO®
VT3PRIB	VT Triple PRO® RIB Complete®
VT4P	VT4PRO™ with RNAi Technology
VT4PRIB	VT4PRO™ with RNAi Technology RIB Complete®
DGVT2P	DroughtGard® Hybrids with VT Double PRO®
DGVT2PRIB	DroughtGard® Hybrids with VT Double PRO® RIB Complete®
WX	Waxy
W	White

## HERBICIDE TOLERANCE

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.

A Acceptable

Either no adverse effects from the corn product/herbicide combination were noted on any traits or only slight damage could be noted under adverse conditions or herbicide application at higher than label rates.

C Caution

The corn product/herbicide combination is usually not a problem if sprayed according to label directions, but can result in plant height reductions, stand loss and suspected yield loss under very adverse environmental conditions, high rates or extreme soil pH levels or organic content. Use drop nozzle spraying for postemergence herbicides to avoid interactions.

W Warning

Not advised — this corn product/herbicide combination should not be used under any circumstances.

## GDU (GROWING DEGREE UNIT)

Although maturity of one corn product relative to another remains reasonably constant, the actual number of calendar days from planting to any given point of plant development varies with temperature, day length, rate and date of planting, soil fertility and other environmental factors. All GDU values calculated are from the time of planting.

## NEW (MY24) PRODUCT NAMING SYSTEM

New product names have been updated to reflect their most important characteristics.

For example:



Products developed before MY23 will continue to use their original names.



# SOYBEAN LEGEND

## RATING SCALE

1 = Excellent | 9 = Poor | - = None

A rating of "1" in standability is a soybean product with excellent standability. A rating of "1" in brown stem rot is a product with excellent tolerance to brown stem rot. For white mold and Phytophthora field tolerance, see specific rating scales on this page.

## SOYBEAN CYST NEMATODE

R	Resistant
MR	Moderately Resistant
MR/MS	Moderately Resistant to Moderately Susceptible
S	Susceptible
#	Race 1, 3, 5, 9 or 14

A recent publication suggests that soybean cyst nematode populations should be described by a different method called HG type, instead of races. The Race 3 population used in our evaluations would be equivalent to "HG Type 0," and the Race 14 population would be equivalent to "HG Type 1.3" under the direction of the paper.

## PHYTOPHTHORA GENE-SPECIFIC RESISTANCE

Susc. Susceptible

Rps1a denotes resistance to Races 1, 2, 10, 11, 13-18, 24, 26, 27, 31, 32 & 36.

Rps1c denotes resistance to Races 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26, 28-30, 32, 34 & 36.

Rps1k denotes resistance to Races 1-11, 13-15, 17, 18, 21-24, 26, 36 & 37.

Rps2 denotes resistance to Races 1-5, 9-29, 33, 34 & 36-39.

Rps3a denotes resistance to Races 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25, 28, 29, & 31-35.

Rps6 denotes resistance to Races 1-4, 10, 12, 14-16, 18-21 & 25.

Rps7 denotes resistance to Races 2, 12, 16, 18, 19, 33, 35 & 36.

## HERBICIDE-TOLERANT TRAITS

CONV	Conventional
RR2X	Roundup Ready 2 Xtend®
SR	Sulfonylurea Ready (tolerance to sulfonylurea-based herbicides)
XF	XtendFlex®

## PHYTOPHTHORA FIELD TOLERANCE

Phytophthora field tolerance is a form of partial genetic resistance whereby the plant can maintain some level of productivity while infected with the pathogen. Phytophthora field tolerance scores represent relative responses to the following races of Phytophthora sojae.

Reaction to Phytophthora sojae Race 25 for products with Rps1a, Rps1c, Rps1k and Rps7.

Reaction to Phytophthora sojae Race 17 and/or Race 30 for products with Rps2, Rps3a and Rps6.

Phytophthora field tolerance scores indicate the following levels of tolerance:

< 4	Very Good	6	Average
4	Good	7	Below Average
5	Above Average	> 7	Poor

## WHITE MOLD

White mold, caused by Sclerotinia sclerotiorum, is a soybean disease for which there is currently no known form of complete genetic resistance. Scores represent relative levels of tolerance to the disease, as outlined below.

< 4	Very Good	6	Average
4	Good	7	Below Average
5	Above Average	> 7	Poor

## SOUTHERN ROOT KNOT

R	Resistant	MS	Moderately Susceptible
MR	Moderately Resistant	S	Susceptible

## CHLORIDE SENSITIVITY

Inc.	Includer	Exc.	Excluder
------	----------	------	----------

Excluder products have increased tolerance to elevated soil chloride levels compared to includers. Excluder products partition chloride in the root systems and reduce the amount transported to more sensitive above-ground tissue.

## PLANT HEIGHT

S	Short
MS	Medium-Short
M	Medium
MT	Medium-Tall
T	Tall

## GROWTH HABIT

D	Determinate
I	Indeterminate

## PLANT TYPE

M	Medium
MB	Medium-Bushy
B	Bushy

## FLOWER COLOR

P	Purple
W	White

## PUBESCENCE COLOR

G	Gray
T	Tawny
LT	Light-Tawny

## HILUM COLOR

BL	Black
G	Gray
IB	Imperfect Black
BR	Brown
BF	Buff

## POD WALL COLOR

BR	Brown
TN	Tan





# SILAGE LEGEND

## RATING SCALE

1 = Excellent | 9 = Poor | - = None

These ratings are approximate and should not be considered as absolute. Based on Bayer-conducted trials relative to other DEKALB® brand corn.

## CODES

L	Low
S	Short
M-S	Medium-Short
M	Medium
M-MH	Medium-Medium High
M-H	Medium-High
M-L	Medium-Low
M-T	Medium-Tall
MH-H	Medium High-High
T	Tall
H	High
NDFd	Neutral Detergent Fiber digestibility

## VALUE-ADDED TRAITS

CONV	Conventional
RR2	Roundup Ready® Corn 2
SS	SmartStax®
SSRIB	SmartStax® RIB Complete®
SSP	SmartStax® PRO®
SSPRIB	SmartStax® PRO® RIB Complete®
TRECEPTA	Trecepta®
TRERIB	Trecepta® RIB Complete®
VT2P	VT Double PRO®
VT2PRIB	VT Double PRO® RIB Complete®
VT3P	VT Triple PRO®
VT3PRIB	VT Triple PRO® RIB Complete®
VT4P	VT4PRO™ with RNAi Technology
DGVT2P	DroughtGard® Hybrids with VT Double PRO®
DGVT2PRIB	DroughtGard® Hybrids with VT Double PRO® RIB Complete®
WX	Waxy
W	White

## HERBICIDE TOLERANCE

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.

A Acceptable

Either no adverse effects from the corn product/herbicide combination were noted on any traits or only slight damage could be noted under adverse conditions or herbicide application at higher than label rates.

C Caution

The corn product/herbicide combination is usually not a problem if sprayed according to label directions, but can result in plant height reductions, stand loss and suspected yield loss under very adverse environmental conditions, high rates or extreme soil pH levels or organic content. Use drop nozzle spraying for postemergence herbicides to avoid interactions.

W Warning

Not advised — this corn product/herbicide combination should not be used under any circumstances.

## GDU (GROWING DEGREE UNIT)

Although maturity of one corn product relative to another remains reasonably constant, the actual number of calendar days from planting to any given point of plant development varies with temperature, day length, rate and date of planting, soil fertility and other environmental factors. All GDU values calculated are from the time of planting.



# CANOLA LEGEND

## RATING SCALE

1 Excellent  
9 Poor  
- Not Available

## CODES/SYMBOLS

E Excellent  
G Good  
H Hybrid  
MR Moderately Resistant  
R Resistant  
S Small  
M Medium  
L Large

Note: Seeds per pound can vary depending on location and year.

This material may contain “forward-looking statements” based on current assumptions and forecasts made by Bayer management. Various known and unknown risks, uncertainties and other factors could lead to material differences between the actual future results, financial situation, development or performance of the company and the estimates given here. These factors include those discussed in Bayer’s public reports which are available on the Bayer website at <http://www.bayer.com/>. The company assumes no liability whatsoever to update these forward-looking statements or to conform them to future events or developments.

**Bayer is a member of Excellence Through Stewardship® (ETS).** Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer’s Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

XtendiMax® herbicide with VaporGrip® Technology is part of the Roundup Ready® Xtend Crop System, is a restricted use pesticide and must be used with VaporGrip® Xtra Agent (or an equivalent volatility reduction adjuvant). For approved tank-mix products (including VRAs and DRAs), nozzles and other important label information visit [XtendiMaxApplicationRequirements.com](http://XtendiMaxApplicationRequirements.com). **To learn availability of this product in your area, contact your local sales representative. Commercialization is dependent on multiple factors, including successful conclusion of the regulatory process. The information presented herein is provided for educational purposes only, and is not and shall not be construed as an offer to sell.**

Applicators must check [XtendiMaxApplicationRequirements.com](http://XtendiMaxApplicationRequirements.com) no more than 7 days before application of this product for additional labeling, including state restrictions. Where applicable, users must comply with additional requirements found on this website.

**ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology.

**FOR COTTON TREATED FOR MARKET YEAR 2023, EACH ACCELERON® SEED APPLIED SOLUTIONS OFFERING** is a combination of separate individually registered products containing the active ingredients: **BASIC** Offering: fluoxastrobin, prothioconazole, metalaxyl, myclobutanil, and penflufen. **STANDARD** Offering: fluoxastrobin, prothioconazole, metalaxyl, myclobutanil, penflufen, and imidacloprid. **ELITE** plus Copeo® Offering: fluoxastrobin, prothioconazole, metalaxyl, myclobutanil, penflufen, imidacloprid, and fluroppyram.

**ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION.** Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with products with XtendFlex® Technology.

**FOR SOYBEANS SEED TREATMENT PRODUCTS APPLIED DOWNSTREAM, EACH ACCELERON® SEED APPLIED SOLUTIONS OFFERING** is a combination of separate individually registered products containing the active ingredients: **BASIC** Offering: metalaxyl, penflufen and prothioconazole. **STANDARD** Offering: metalaxyl, penflufen, prothioconazole and imidacloprid. **FOR UPSTREAM TREATED SOYBEANS, EACH ACCELERON® SEED APPLIED SOLUTIONS OFFERING** is a combination of separate individually registered products containing the active ingredients: **BASIC** Offering: metalaxyl, fluxapyroxad, and pyraclostrobin. **STANDARD** Offering: metalaxyl, fluxapyroxad, pyraclostrobin and imidacloprid.

**FOR CORN, EACH ACCELERON® SEED APPLIED SOLUTIONS OFFERING** is a combination of separate individually registered products containing the active ingredients: **BASIC** plus Poncho®/VOTIVO® Offering for corn: metalaxyl, ethaboxam, prothioconazole, fluoxastrobin, clothianidin, Bacillus firmus I-1582. **ELITE** plus Poncho®/VOTIVO® Offering for corn: metalaxyl, ethaboxam, clothianidin, and Bacillus firmus I-1582; prothioconazole and fluoxastrobin at rates that suppress additional diseases. **BASIC** Offering for corn: metalaxyl, prothioconazole, fluoxastrobin, ethaboxam, and clothianidin. **ELITE** Offering for corn: metalaxyl, ethaboxam, and clothianidin; and prothioconazole and fluoxastrobin at rates that suppress additional diseases. **BioRise® Corn Offering** is the on-seed application of BioRise® 360 ST. BioRise® Corn Offering is included seamlessly across offerings on all class of 2017 and newer products.

Not all products are registered in all states and may be subject to use restrictions. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited.

**FOR COTTON TREATED FOR MARKET YEAR 2022 OR PRIOR, EACH ACCELERON® SEED APPLIED SOLUTIONS OFFERING** is a combination of separate individually registered products containing the active ingredients: **BASIC** Offering: fluxapyroxad, pyraclostrobin, metalaxyl, and myclobutanil. **STANDARD** Offering: fluxapyroxad, pyraclostrobin, metalaxyl, myclobutanil, and imidacloprid. **ELITE** plus Poncho®/VOTIVO® Offering: fluxapyroxad, pyraclostrobin, metalaxyl, myclobutanil, imidacloprid, clothianidin, and Bacillus Firmus I-1582.

Please review each seed tag to determine active ingredients in the product offering on the seed.

**The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Not all products are approved in all states.**

**Bt products** may not yet be registered in all states. Check with your seed brand representative for the registration status in your state.

**IMPORTANT IRM INFORMATION: RIB Complete®** corn blend products do not require the planting of a structured refuge except in the Cotton-Growing Area where corn earworm is a significant pest. **See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.**

**Performance may vary**, from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower’s fields.

**Roundup Ready® Technology** contains genes that confer tolerance to glyphosate. **Roundup Ready® 2 Technology** contains genes that confer tolerance to glyphosate. **Roundup Ready 2 Xtend® soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate** will kill crops that are not tolerant to glyphosate. **Glufosinate** will kill crops that are not tolerant to glufosinate. **Dicamba** will kill crops that are not tolerant to dicamba. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-844-RRXTEND for recommended Roundup Ready® Xtend Crop System weed control programs.

Insect control technology provided by **Vip3A** is utilized under license from Syngenta Crop Protection AG. XtendiMax® is a restricted use pesticide. Not all products are registered for use in all states and may be subject to use restrictions. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your local dealer or representative for the product registration status in your state. Herculex® is a registered trademark of Dow AgroSciences LLC. Agrisure Viptera® is a registered trademark of a Syngenta group company. Copeo®, LibertyLink® and the Water Droplet Design®, Poncho®, Poncho®/Votivo® and Votivo® are trademarks of BASF Corporation. Respect the Refuge and Corn Design® and Respect the Refuge® are registered trademarks of National Corn Growers Association. Acceleron®, Asgrow and the A Design®, Asgrow®, Bayer, Bayer Cross, BioRise®, Boligard II®, Bollgard®, DEKALB and Design®, DEKALB®, Disease Shield®, DroughtGard®, Respect the Refuge and Cotton Design®, RIB Complete®, Roundup Ready 2 Technology and Design™, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, SmartStax®, SR and Design®, ThryvOn™, Trecepta®, VaporGrip®, VT Double PRO®, VT Triple PRO®, XtendFlex® and XtendiMax® are trademarks of Bayer Group. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at [www.BayerCropScience.us](http://www.BayerCropScience.us). Bayer Crop Science LP, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2023 Bayer Group. All Rights Reserved.

# NOTES



